





SHIBUYA www.shibuya-archery.com

ULTIMA -The next generation of ultimate performance.

The ULTIMA brand embodies SHIBUYA's ambition to deliver a new dimension of highest archery performance.

Revolutionary innovation made possible by Japanese manufacturing technology take this endeavor to a new level with the introduction of these new products.

WULTIMA

SCALE MAGNIFIER

OKULUS SCOPE

MULTIMA MZS

MULTIMA EXTENDER



The top-of-the-line recurve sight, featuring every feature you've ever dreamed of. ULTIMA RC PRO's radically redesigned carbon extension redefines vibration elimination.

ULTIMA RC PRO

TARGET REPURVE SIGHT













Polygonal Carbon Extension

ULTIMA RC PRO's carbon extension features a radical new design redefining vibration elimination.

The ultimate goal of eliminating vibration through the shape of the carbon extension lead us to a fishing pole taper shape. Through it, ULTIMA RC PRO is able to eliminate most of the unnecessary vibration on the shot. In simulations, the Polygonal Carbon Extension produces 87% less initial vibrations than the conventional shape.

Additionally, SHIBUYA has applied the concept of "spine" to the extension, tailoring to a wide variety of archers' desired shooting feel by including two different stiffnesses of the Polygonal Carbon Extension in the lineup.

By targeting vibration not only through material, but also shape, ULTIMA RC PRO offers a shooting feel like never before.

Redesigned Mounting System

ULTIMA RC PRO features a brand-new mounting mechanism to achieve a more secure lock than ever.

By increasing the knob's diameter, and maximizing the contact area with the carbon extension, ULTIMA RC PRO's mount achieves a rattle-proof lock with less effort required than ever. Never worry about the knob coming loose again with this simple yet secure mounting system!

Sight Scale Plates

Both sides of ULTIMA RC PRO's elevation bar feature metal sight scale plates. Each ULTIMA RC PRO includes a standard scale plate, as well as a blank plate for a printed tape. Left and right are interchangeable, to fit any archer's preferred shooting style.

Redesigned Sight Pin Locker

ULTIMA RC PRO features a redesigned sight pin locker with a toolless thumb screw. Enjoy an effortless shooting experience that not only improves usability, but cuts down on the time neede for adjustments by eliminating the hex wrench for adjustments

Double Mount & Minimized Elevation Bar

Introducing the double position mounting system. This revolutionary mount enabled us to reduce the elevation bar's length to the absolute minimum, drastically reducing the sight's target side weight. This weigt reduction results in the virtual elimination of vibration and shock upon the shot. The double mount ULTIMA PRO is the pinnacle of SHIBUYA's focus on vibration reduction!



Models	RC PRO					
Extension bar	9"Polygonal Carbon Extension Type:A or B					
Elevation lengths	5.2"		3.2"		2.5"	
Weight	233g (Type:A)	221g (Type:B)	221g (Type:A)	208g (Type:B)	212g (Type:A)	200g (Type:B)
Anodized colors	Black Silver Blue Red		Black		Black	



The World's most popular Recurve Sight Evolved.

ULTIMA RC I

TARGET REPURVE SIGHT


















ULTIMA series sights feature a precise, ultra-smooth lever locking mechanism. Coarse adjustments are quick to make by pressing the release lever, and simpy sliding the windage unit to the desired position. The micro-adjustment dial provides 0.002" of travel per click, at 20 clicks per revolution. All Adjustments are compatible with popular configuration software.







- Serrated release lever for smooth, easy adjustments
- Laser-etched sight scales compatible with popular configuration software
- Field-adjustable, field-replaceable components no need
- Includes soft carrying case and metric allen wrenches

Models	UL-RCII		
Extension bar	9" Carbon		
Elevation lengths	4.85"		
Weight	201g		
Anodized Colors	Black, Silver, Blue, Red, Gold, Pink, Green, Orange		

X-Lock System


Re-adjustable, zero-tolerance fit between the windage unit and sight frame. Super-slick and durable polyacetal resin guide spacers enclose the elevation rail, re-adjustable at the turn of a set screw. All parts field-adjustable and -replaceable!

Protected under US Pat No. 7,287,335

Proven Success

No other sight has helped more archers win their spots on the podium in the international target circuit than SHIBUYA's ULTIMA and DUAL CLICK series. More participants and more Medalists in Rio used SHIBUYA sights than all other brands combined! Find out more about SHIBUYA's Shooting Staff's achievements at

www.shibuya-archery.com!



Models	UL-RCII
Extension bar	9" Carbon
Elevation lengths	4.85"
Weight	201g
Anodized Colors	Black, Silver, Blue, Red, Gold, Pink, Green, Orange







Smooth and reliable adjustments Light but incredibly sturdy The Choice of top shooters worldwide!

ULTIMA CPX I

TARGET COMPOUND SIGHT





ULTIMA CPXII sights feature a revolutionary system eliminating backlash and play in the elevation adjustments: the ZPE system. A readjustable(1) aluminum wedge, secured with Nord-Lock® washers, eliminates any gap between the threaded locking block and aperture block.

Indecater Pins

The new flat-shelf indicator pin on ULTIMA CPXII sights is easy to adjust, closer to the sight tape surface than ever before, while still offering enough clearance for layered tapes. Both side pins are locked by a cap screw from the side. preventing accidental movements when locking them down

Tria-Lock System


Ultima CPX's scope rod is threaded through the windage block, offering an unprecedented level of stability and ruggedness, while preserving the outstanding light weight of the ULTIMA series! The innovative new Tria-Lock system encloses the entire windage slider from three sides, keeping it perfectly aligned and without play to produce a rattle-free, zero-tolerance environment.

Keeping the scope rod close to the elevation rail - The key to stability

SHIBUYA's innovative Tria-Lock system keeps the scope rod approx. 1/2" closer to the elevation bar than conventional target sights. This significantly reduces moment effected on the windage unit - a significant factor in development of play and faults!

X-Lock System

Re-adjustable, zero-tolerance fit between the windage unit and sight frame. Super-slick and durable polyacetal resin guide spacers enclose the elevation rail, re-adjustable at the turn of a set screw. All parts field-adjustable and -replaceable! Protected under US Pat No. 7,287,335



- wedge-locking NORD-LOCK® washers for absolute
- Micro-Adjustment Travel .002" per click (windage/elevation) 20 clicks per revolution

X ULTIMA C

- Integrated 2nd and 3rd axis adjustment ■ Extra-large release lever for smooth, easy adjustments
- Laser-etched sight scales compatible with popular configuration software
- Field-adjustable, field-replaceable components no need for factory repairs
- Includes soft carrying case and metric allen wrenches



The ULTIMA Sight Scale Magnifier mounts to the flat shelf indicator's groove, enabling higher precision elevation adjustments than ever.









Customizable and perfectly balanced. A fully featured scope with a brand new twist!

This state-of-the-art compound scope was developed with utmost care for balance, enabling it to fit to any configuration. The brand new Gravity Shift technology enables the scope to compensate for shifting center of gravity when using the large variety of accessories, such as sun shades and decal rings. OKULUS strikes the balance for a wide array of use cases.



Various accessories available. *Sold separately.

Usable with genuine accessories, such as Sun Shade, Back Sun Shade, Decal Ring, and Fiber Kit.

Gravity Shift

Compensates for the weight of the optional sunshades and decal rings by shifting the scope housing's center of gravity.

Superior glare reduction

OKULUS features anti-reflective grooves, as well as matte anodizing to minimize glare inside the field of view.

Compatible with Sight Lights

OKULUS features multiple 8-32 threaded attachment holes for popular sight lights. The 45-degree angled mounting hole enables the archer to aim the light at the center of the lens when using a reticle decal.

Three popular fiber sizes

The ULTIMA OKULUS Fiber Kit (sold separately) is available in .010", .019", and .029" to fit a wide variety of shooting styles. Protective tubing included.



New!

ULTIMA MZS

MINIMIZED DRAG ZONE DAMPING STABILIZER

Carbon pipes by





The ULTIMA EXTENDER combines SHIBUYA's proven DirectLink construction with High Modulus carbon to achieve an optimal level of stiffness.





MZS is composed of aircraft-gr carbon fiber to achieve exceptional rigidity, and incorporates vibration damping material weaved into the carbon layers of the stabilizer pipe. This enables it to achieve exceptional damping properties while maintaining its high rigidity. At the same time, its slim 14mm diameter minimizes the effects of outside influences such as wind drag. Experience outstanding performance from aiming to follow through, made possible by the state-of-the-art carbon technology incorporated in MZS.

Available sizes Long Rod: 26", 28", 30" Side Rod: 10",11",12",15"



The Choice of 86% of **Rio Participants!**

ULTIMA RECURVE REST





















Dual Adjust System

All adjustments done with a single screw! Perfect clearance: solid horizontal/vertical adjustmen





86% of participants in Ric chose the ULTIMA Recurv Rest as their arrow rest. Find out why the vast majority of top-level archers chooses ULTIMA as one of the most ntegral parts of their setup!



Dual Magnet System

Dual magnets reliably reset the rest pin after each shot.



RH,



- Offset Arm Construction enables use with small shaft diameters
- Precision CNC-machined parts
- Metric allen wrench and instruction sheet included
- Colors: Black, Silver, Blue, Red, Gold, Pink, Green, Orange



Supreme wear resistance and friction reduction, Diamond-Like Carbon coating provides exception friction-reducing properties to help the arrow clear smoothly, reduce speed loss as well as damage to the shaft








Chung-Tae Kim Top level performance ergonomics developed by a Gold Medalist. SHIBUYA 7 SHIBUYA


Flat Design

The SHIBUYA Chung-Tae Kim Tab features a completely flat plate design by recessing the finger spacer and anchor pad screws into the plate. By allowing the thumb to tuck in beneath the anchor tab, this design enables the archer to achieve a connected anchoring surface with index finger, anchor pad, and thumb. Anchoring has never felt more natural!



Internal Mount Anchor Pad (pat.pend.)

The SHIBUYA Chung-Tae Tab's Anchor Pad is anchored in between the plate and leather. The archer is able to achieve a consistent anchoring surface to the fingers. The anchor pad naturally moves out of the way, enabling smoother anchoring than ever. The tab plate is covered by the anchor pad, eliminating the need to alter it in order to not protrude from the anchor pad.



TiltLok Finger Spacer (pat.pend.)

The construction of the Finger Spacer prevents it from tilting, eliminating inconsistency resulting from the angle shifting during use.



PlateComp Finger Loop

The SHIBUYA Chung-Tae Tab's Finger Tape is fastened by a wedge plate, enabling the archer to adjust it seamlessly to their liking.

All Adjustments can be done with a single Hex Wrench!



Face Leather	Chung-Tae Kim TAB Original Cordovan Face		
Back Leather	Cowhide (Blue)		
Size	S,M,L,XL		
RH/LH	Available		

Size information available at http://www.shibuya-archery.com/english/productlist/recurve.html

DX PLUNGER

The worldwide standard - suitable from beginners to top pros! Includes Teflon and metal-plated tips.





TRANSPORTER 56.5L BOW CASE

SHIBUYA'S newest recurve bow case offers even more space for gear in a new, sleek design, while keeping the weight exceptionally low! TSA-approved locks and replaceable wheels offer peace of mind for frequent travelers. Includes optional arrow sponge, tie-down straps, multiple zipper pockets. Dimensions: 880×400×210mm Weight: 4.8kg

















BOW CASE [RBT-1000EX]

Robust ABS shell protects your equipment from weather influences and shock- induced damage! Enough space for 2 complete recurve setups. Tie-down straps and inner pockets allow for perfect space organization! Dimensions: 840×320×190mm Weight: 4.9kg

Colors


※ Available colors may vary





9 / SHIBUYA

DUAL CLICK



Ever since we set the standard for target archery sights with the AR-10 in 1979, no other brand of recurve sights has produced more champions or world records than SHIBUYA. The Dual Click line has been the sight of choice for a great number of top-ranked archers, such as the medal-winning Korean National team!

The Dual Click sights now have a reinforced resin windage block to prevent breakage, and feature the popular mounts and click parts proven in the ULTIMA sight series.

Colors

BLACK



Models	DUAL CLICK
Extension Bar	Aluminum
Extension lengths	9"
Elevation lengths	5.20"
Weight	195g
Anodized Color	Black
Weight	195g



CARUNO STABILIZER SYSTEM

LIGHT IS STRONG. CARUNO makes no compromise!

Vari-Blend Carbon

-balancing lightness with rigidity-

CARUNO features a unique stabilizer shaft construction, which features carbon blends of varying elastic moduli, placed strategically to maximize performance.

Combined with the DDST construction, this gives CARUNO the solidity and vibration absorption properties high level archers desire. Long Rod and Side Rod employ individually optimized carbon blends, offering superior vibration absorption and stiffness, while reducing torsional rigidity for optimal shooting

The V-Bar Extender shaft features high torsional rigidity and stiffness, firmly supporting the V-Bar, Long Long Rod(1): 26", 28", 30" Side Rod(2): 10", 11", 12" Available weight modules(3): Flat (32g), Cap(20.4g), Flat Light (11.2g), Half Cap (11.7g)

- (1) Incl. 1Flat weight and 1 Cap weight
- (2) Sold in pairs, incl. 1 Cap weight (3) Flat Light and Half Cap not compatible with some 3rd party dampers or weights

FIBER OPTIC SIGHT PIN

- 8-32 threaded sight pin for recurve use
- Extra bright 1mm (0.040") diameter fiber optic
- 7 or 12mm outer diameter
- WA legal
- Incl. Red, Green fiber







SHIBUYA RECURVE V-BAR CARUNO

Ultra-light: 47g (1.66oz.)! Redefining Weight Distribution Developed with and for world-class archers Side red angle: 40, 45 Down angle: 0

Incl. Spanner, V-Bar Bag









